

各國不銹鋼鋼管材質對照表

美國	德國	法國	日本	義大利	瑞典	英國	美國電器聯合	西班牙	俄羅斯
ASTM	DIN17006	AFNOR	JIS	UNI	SIS	BS	EURONORM	UNE	GOST
302	X12CrNi188	Z10CN18.19	SUS303			302S25			12KH18N9
304	X5CrNi1810	Z6CN19.09	SUS304	X5CrNi1810	2332	304815	X6CrNi18.10	X6CrNi19.10	08KH18N10
304H			SUS304H	X8CrNi1910				X6CrNi19.10	
304L	X2CrNi1811	Z2CN18.10	SUS304L	X2CrNi1911	2352	304811	X3CrNi18.10	X2CrNi19.10	03KH23N11
305	X5CrNi1911	Z8CN18.19	SUS305	X22CrNi2520		310824			12KH18N12T
310	X12CrNi2521		SUS310						20KH23N18
310S	X12CrNi2520	Z12CN25.20	SUS310S	X5CrNi2520	2361		X6CrNi25.20		10KH23N18
316	X5CrNiMo17122	Z6CND17.11	SUS316	X5CrNiMo1712	2347	316831	X6CrNiMo17.122	X6CrNiMo17.12.03	08KH17N13M2T
316L	X2CrNiMo17132	Z2CND17.12	SUS316L	X2CrNiMo1712	2348	316811	X3CrNiMo17.122	X2CrNiMo17.12.03	03KH17N14M2
316LN	X2CrNiMoN1812	Z2CND17.12N	SUS316LN						
317			SUS317	X5CrNiMo1815	2366	317816			08KH17N15M3T
317L	X2CrNiMo18164	Z2CND19.15	SUS317L	X2CrNiMo1815	2367	317812	X3CrNiMo18.164		03KH16N15M3
321	X6CrNiTi1810	Z6CNT18.10	SUS321	X6CrNiTi1811	2337	321831	X6CrNiTi18.10	X6CrNiTi18.11	08KH18N10T